


Setting up Windows 2000/XP to use the new DNS servers

Notice: this change only affects you if your previous DNS server addresses include any of the following:

- 128.135.4.2
- 128.135.20.100
- 128.135.72.200
- 128.135.228.2
- 128.135.12.73

Windows XP

1. Go to Start → Control Panel (or Start → Settings → Control Panel).
2. Go to Network Connections (or Network and Internet Connection → Network Connections).
3. Right click on **Local Area Connection** and select **Properties** from the popup menu.
4. Make sure you are on the **General** tab.
5. Click on **Internet Protocol (TCP/IP)** and click **Properties** button



- **Note:** if "Obtain an IP address automatically" is selected then you should select "Obtain DNS server address automatically" and not enter the numbers above.

6. Enter 128.135.247.50 and 128.135.249.50 for your **Preferred DNS server** and **Alternate DNS server**. It doesn't matter which order you enter them in.

The image shows a screenshot of the 'General' tab in a Windows network configuration dialog box. At the top, there is a text box explaining that IP settings can be assigned automatically if the network supports it, otherwise, manual configuration is required. Below this, there are two radio button options. The first is 'Obtain an IP address automatically', which is unselected. The second is 'Use the following IP address:', which is selected. Under this option, there are three input fields: 'IP address' with the value '128 . 135 . 247 . 50', 'Subnet mask' with '255 . 255 . 255 . 0', and 'Default gateway' with '128 . 135 . 247 . 50'. Below these, there are two more radio button options. The first is 'Obtain DNS server address automatically', which is unselected. The second is 'Use the following DNS server addresses:', which is selected. Under this option, there are two input fields: 'Preferred DNS server' with '128 . 135 . 247 . 50' and 'Alternate DNS server' with '128 . 135 . 249 . 50'. At the bottom right of the dialog box, there is an 'Advanced...' button. At the very bottom, there are 'OK' and 'Cancel' buttons.

7. Click OK.
8. Click Close.
9. You can close the Control Panel by clicking on the red x in the upper right corner.

Windows 2000

Note: Windows 2000 is no longer supported. This guide is provided as-is.

1. Go to Start → Settings → Control Panel → Network Connections
2. Right click on **Local Area Connection** and select **Properties** from the popup menu.
3. Make sure you are on the **General** tab.
4. Click on **Internet Protocol (TCP/IP)** and click **Properties** button.
 - o **Note:** If "Obtain an IP address automatically" is selected then you should select "Obtain DNS server address automatically" and not enter the numbers below.

5. Enter 128.135.247.50 and 128.135.249.50 for your **Preferred DNS server** and **Alternate DNS server**. It doesn't matter which order you enter them in.

The image shows a screenshot of the Windows Network Connections dialog box, specifically the General tab. The dialog box has a title bar with the word "General" on the left. Below the title bar, there is a paragraph of text: "You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings." Below this text, there are two radio button options. The first is "Obtain an IP address automatically" and the second is "Use the following IP address:". The second option is selected. Below the second option, there are three text input fields: "IP address:" with the value "128 . 135 . . .", "Subnet mask:" with the value "255 . 255 . 255 . 0", and "Default gateway:" with the value "128 . 135 . . .". Below these fields, there are two more radio button options. The first is "Obtain DNS server address automatically" and the second is "Use the following DNS server addresses:". The second option is selected. Below the second option, there are two text input fields: "Preferred DNS server:" with the value "128 . 135 . 247 . 50" and "Alternate DNS server:" with the value "128 . 135 . 249 . 50". At the bottom right of the dialog box, there is a button labeled "Advanced...". At the very bottom of the dialog box, there are two buttons: "OK" and "Cancel".

6. Click OK.
7. Click Close.
8. You can close the Control Panel by clicking on the red x in the upper right corner.

Last updated: 1/31/07